

PRE - POST INVENTORY

\*\*\*\*\*


CONFIDENTIAL REPORT

NOTE:  PRETEST

NAME: Example Report  
AGE : 37 SEX: Male  
ETHNICITY/RACE: Caucasian  
HIGHEST GRADE ATTAINED: 12

ID#: 0000000001  
MARITAL STATUS: Married  
First Test Administration  
DATE SCORED: 11/11/2010

The Pre-Post Inventory is to be used in conjunction with experienced staff judgment. No diagnosis or decision should be based solely upon Pre-Post Inventory results. Consider these results working hypotheses.



CLIENT NEEDS AND STATUS RESPONSES

Death/Suicide (#30)..... 5	Recovering Drugs (#11)..... 5
Suicidal/Homicidal (#138)..... 4	Attends AA (#64)..... 5
Recovering Drinker (#61)..... 5	Attends CA (#22)..... 4

OBSERVATIONS/RECOMMENDATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STAFF MEMBER SIGNATURE

DATE

## ATTAINED SCALE SCORE EXPLANATIONS

-----

## TRUTHFULNESS SCALE: LOW RISK RANGE RISK PERCENTILE:24

This is a Low Risk (zero to 39th percentile) score and other scale scores are accurate. Denial, minimizing and faking are minimal. This person was open, honest and truthful. And, this client has adequate reading skills. The Truthfulness Scale identifies self-protective, recalcitrant and guarded people who minimize or conceal information.

## ALCOHOL SCALE: MAXIMUM RISK RANGE RISK PERCENTILE:90

Many self-report indicators of alcohol abuse are evident. However, to be safe check if this person is "recovering" (alcohol problem, but has stopped drinking). Relapse risk is high. This person's score on the Alcohol Scale is in the severe problem (90 to 100th percentile) range. With regard to alcohol, this is a Severe Problem risk score.

## DRUGS SCALE: PROBLEM RISK RANGE RISK PERCENTILE:83

This is a Problem Risk (70 to 89th percentile) score. Drug use or abuse is indicated and may be a focal issue in this client's adjustment problems. Either this person is "recovering" (drug problem, but has stopped using) drug user, or this client manifests an established pattern of drug abuse. Relapse is possible. This is a Problem Risk Drugs Scale score.

## DISTRESS SCALE: PROBLEM RISK RANGE RISK PERCENTILE:86

This client's Distress Scale score is in the Problem Risk (70 to 89th percentile) range. Moods likely vary from agitated to despondent. Distress is affecting this person's adjustment. Symptoms include unhappiness, discontent, worry, anxiety, apprehension and depression.

## RESISTANCE SCALE: PROBLEM RISK RANGE RISK PERCENTILE:80

This individual's score is in the Problem Risk (70 to 89th percentile) range. Problem Risk scorers are often evasive, resistant and can be oppositional. They can resist authority and conflict resolution with them is often difficult. This client needs to understand relationships, attitudes and how his or her outlook impacts on others.

## SELF-ESTEEM SCALE: PROBLEM RISK RANGE RISK PERCENTILE:84

This person's Self-Esteem Scale score is in the problem (70 to 89th percentile) or negative range. This client devalues self, feels inadequate and lacks self-confidence. Such persons are often moody, worrisome and insecure. Although negative self-esteem is indicated, it may be situation-related. This client score reflects negative self-esteem.

## STRESS COPING SCALE: MAXIMUM RISK RANGE RISK PERCENTILE:95

Stress is a focal issue in this person's impaired adjustment. Poor stress coping abilities are evident. Stress exacerbates other symptoms of emotional and mental health problems. This client likely manifests identifiable emotional and mental health problems. This person has very serious stress coping problems.

## 10 POINT RECENCY MEASURES: LAST 30 DAYS

MEASURE	POINTS	DESCRIPTION
ALCOHOL	8	Client acknowledges has a drinking problem
DRUGS	2	Clarify client's answers to #26 & #46
DANGEROUSNESS	0	No suicidal or homicidal admissions

SIGNIFICANT ITEMS: The following self-report responses represent areas that help in understanding the client's problems, situation or needs.

## ALCOHOL

20. When drinks, cannot stop  
 42. Problem in last 30 days  
 56. Not confident won't abuse  
 72. Abused drinking last 30 days

## DRUGS

Lack of items may be deceptive.  
 Review Truthfulness Scale.

## DISTRESS

Lack of items may be deceptive.  
 Review Truthfulness Scale.

## RESISTANCE

10. Says doesn't want or need help  
 35. Doesn't want advice  
 69. No confidence in staff

## SOCIAL STRESSORS (STRUCTURED INTERVIEW)

135. Undecided about treatment	142. No alcohol treatment
136. Drugs not a problem	143. Drug treatment helped little
137. Drinking a moderate problem	144. No need for alcohol treatment
138. Not suicidal or homicidal	145. No need for drug treatment
139. Some distress problems	146. Not sure if needs counseling
140. Last 30 days: drinking same	147. No treatment in last 30 days
141. No drug problem	148. Not in program last 30 days

## PRETEST RESPONSES (TEST #1)

1- 50	2224214424	5341242442	4413343145	5345243345	2223243523
51-100	2324143314	5225313244	2241243212	4223242443	2245144212
101-148	1511531211	2424323333	2142321212	1232242422	44344344